

BUILD IN DETAILS AND CROSS SECTIONS

G:\R&D\PRODUCT DESIGN\03_TIMBER\10 - BUILD IN DETAILS\TREND\BID TIMBER BIFOLD DOOR.DWG

-001				
Α	FIRST RELEASE	07/06/2024	DH	СА
ISS.	RELEASE NOTES	DATE	DRAWN	APPRD.



10 - BUILD IN DETAILS

240mm BRICK VENEER WALL 90mm STUD

BID TIMBER BIFOLD DOOR


10.02


CA


07/06/2024


REL. FOR PRODUCTION

OR









SILL

JAMB

The installation and flashing detail shown above is only a suggestion – it is not the only method available and may not be suitable for all applications. It is the responsibility of the builder, installer or purchaser to ensure that the windows are adequately sealed into the building fabric to prevent the ingress of water. We accept no responsibility for damage or consequential loss caused by the failure of the builder, installer or purchaser to provide an adequate flashing system. The wall system manufacturer may have different installation suggestions or requirements. The advice to the builder, installer or purchaser is to seek the wall system manufacturer's requirements for installation and flashing and to seek clarification from the wall system manufacturer if different.



10 - BUILD IN DETAILS

DOUBLE BRICK

Doc #:

BID TIMBER BIFOLD DOOR


10.03


OR


APPROVED: RELEASE DATE RELEASE D. CA 07/06/2024 REL.


REL. FOR PRODUCTION

HEAD









SILL JAMB

The installation and flashing detail shown above is only a suggestion – it is not the only method available and may not be suitable for all applications. It is the responsibility of the builder, installer or purchaser to ensure that the windows are adequately sealed into the building fabric to prevent the ingress of water. We accept no responsibility for damage or consequential loss caused by the failure of the builder, installer or purchaser to provide an adequate flashing system. The wall system manufacturer may have different installation suggestions or requirements. The advice to the builder, installer or purchaser is to seek the wall system manufacturer's requirements for installation and flashing and to seek clarification from the wall system manufacturer if different.



10 - BUILD IN DETAILS

WEATHERBOARD

Doc #:

BID TIMBER BIFOLD DOOR


10.04


OR


N: APPROVED: RELEASE DATE REL
CA 07/06/2024 RE


REL. FOR PRODUCTION

HEAD









SILL

JAMB

The installation and flashing detail shown above is only a suggestion – it is not the only method available and may not be suitable for all applications. It is the responsibility of the builder, installer or purchaser to ensure that the windows are adequately sealed into the building fabric to prevent the ingress of water. We accept no responsibility for damage or consequential loss caused by the failure of the builder, installer or purchaser to provide an adequate flashing system. The wall system manufacturer may have different installation suggestions or requirements. The advice to the builder, installer or purchaser is to seek the wall system manufacturer's requirements for installation and flashing and to seek clarification from the wall system manufacturer if different.



10 - BUILD IN DETAILS

CA

WEATHERBOARD I

Doc #:


BID TIMBER BIFOLD DOOR


REL. FOR PRODUCTION


10.05 ISSUE: **OR**


HEAD

07/06/2024









SILL JAMB

The installation and flashing detail shown above is only a suggestion – it is not the only method available and may not be suitable for all applications. It is the responsibility of the builder, installer or purchaser to ensure that the windows are adequately sealed into the building fabric to prevent the ingress of water. We accept no responsibility for damage or consequential loss caused by the failure of the builder, installer or purchaser to provide an adequate flashing system. The wall system manufacturer may have different installation suggestions or requirements. The advice to the builder, installer or purchaser is to seek the wall system manufacturer's requirements for installation and flashing and to seek clarification from the wall system manufacturer if different.



10 - BUILD IN DETAILS

VERTICAL CROSS SECTION

Doc.#:

BID TIMBER BIFOLD DOOR

10.06

RELEASE DATE

CA


07/06/2024


RELEASE DATE


RELEASE DATE

REL. FOR PRODUCTION

OR









10 - BUILD IN DETAILS

VERTICAL CROSS SECTION U CHANNEL


BID TIMBER BIFOLD DOOR


10.06

СА 07/06/2024

REL. FOR PRODUCTION

OR





Applicable for Cedar Doors. Sizes may differ for Meranti Doors.

-57.80

25.00 ^{لـ}

20.00



10 - BUILD IN DETAILS

112.00

112.00

HORIZONTAL CROSS SECTION

Doc #·

BID TIMBER BIFOLD DOOR

PAGE: 10.07

N: APPROVED: RELEASE DATE RELEASE CA 07/06/2024 REL.

REL. FOR PRODUCTION

OR

